



MONOCHROME  
ELEGANCE

# MAR BLE PANELS

3MM



COLLECTION - 2024-25



Versatile

company profile

MARBLE WONDERS

Meraki, the name itself speaks about creativity and innovation from soul. Started in 2015, Meraki is now the INDUSTRY LEADER and the Biggest Indian Manufacturer of PVC LAMINATE Sheets with a standard thickness of 1.2mm and PVC Marble panels with a standard thickness of 3.0 mm , with a huge production capacity, know for the Quality and Service of our products Pan-India. A most trusted brand and an International Standard by which all Interior Companies define themselves. The beauty of Home Interiors, Corporate Offices, Lounge and other interiors are sound enough with our PVC LAMINATES sheets.

Keeping in mind the health of your loved ones, MERAKI provides you with the Anti-Bacterial and Lead-Free laminates to keep your family and loved ones free from health issues. As one of the leading Manufactures, Exporters and Suppliers of PVC Laminate Sheets, we facilitates huge variety of the same for our clients to chose from. In order to meet the enormous demand for our product, we bring to use a highly-efficient manufacturing unit, where our employees carry out the manufacturing process in the most efficient manner. We cater to bulk order from clients in all parts of the world. We also make arrangements for fulfilling the individual specifications mentioned by the clients, if any. With the help of our efficient work-force and highly technical German machine, we are able to serve our clients with best of our output.

It has been an excellent experience dealing with satisfied and happy Architects and Customers all over the India. We promise to build up the same spirit of Quality and Quantity of our durable products among our customers for lifetime. MERAKI by M/s Innovative Products is a widely sought-after name amongst manufactures of PVC Products. We have been operational from Sonipat, Haryana, since 2015.



3MM MONOCHROME ELEGANCE

SCAN TO GO






**MARBLE** PANELS  
COLLECTION



MRK - 3550



MRK - 3556



MRK - 3551



MRK - 3557



Laminate Used  
MRK - 3530

**MARBLE** PANELS  
COLLECTION



MRK - 3530



MRK - 3511



MRK - 3531



MRK - 3527



**MARBLE** PANELS  
COLLECTION

MONOCHROME  
ELEGANCE

**M**  
MERAKI  
FLEXIBLE PVC LAMINATES



MRK - 3558



MRK - 3538



MRK - 3559



MRK - 3553



# MARBLE PANELS

COLLECTION



MRK - 3513



MRK - 3515



MRK - 3514



MRK - 3516



# MARBLE PANELS COLLECTION

MONOCHROME  
ELEGANCE



MRK - 3509



MRK - 3501



MRK - 3510



MRK - 3502A



**MARBLE** PANELS  
COLLECTION

MONOCHROME  
ELEGANCE




MRK - 3521



MRK - 3523



MRK - 3522



MRK - 3524



Laminare Used  
MRK - 3528

Laminare Used  
MRK - 3529

# MARBLE PANELS


COLLECTION



MRK - 3503



MRK - 3528



MRK - 3508




MRK - 3529



**MARBLE** PANELS  
COLLECTION

MONOCHROME  
ELEGANCE



MRK - 3552



MRK - 3548



MRK - 3555



MONOCHROME  
ELEGANCE

# MARBLE BLE PANELS



## TECHNICAL SPECIFICATION

**THICKNESS** : 3.0 mm (+/- 5%)

**STANDARD SHEET SIZE** : 2440mm x 1220mm

### CLEANING & MAINTENANCE

These PVC Panels can be cut, routed and drilled, with standard wood working tools or equipments (MERAKI recommends the use of only diamond cutter blade to cut the sheet). All blades must be sharp to remove any burrs that may occur in the cutting process. We recommend the use of a smooth file to feather all corner edges. In case of using hand cutter, The company is not liable for any complaints of de-lamination and other complaints.

### BLENDING AND FORMING

For bending the panels make use of 4"x8mmx6 tee MERAKI Radium U-Groove Blade. The groove should be of depth 0.6mm to 0.8mm & width 5mm or more. The routed panel will easily bend upto 90 degree.

### MAINTENANCE

Any cleaning agent containing acids, alkalis or abrasive should not be used to clean the panel, exposure to sunlight should be avoided.

### NOTE

Meraki warrants that all its products are free from manufacturing defects and perfectly ideal for use in normal conditions. In case of any claim, the liability of the company is only limited to the cost of the product only. Meraki is not liable for the color variations from batch to batch production. The sample swatches here only represent the designs, colors and finishes. They do not represent the actual thickness.

Kindly remove the protective film after 7 days of installation of PVC Panels.



Long-Lasting



Carpenter-Friendly



90° Bendable Laminates



Lead-Free



Suitable for Interior use only



Avoid Direct Sunlight

## OTHER FEATURES



Recommended to cut laminate sheets



**MERAKI**  
U-GROOVE  
RADIUS CUTTER BLADE

Recommended for Bending of Laminate sheets

# MAR BLE PANELS



MONOCHROME  
ELEGANCE


**Meraki Laminates Industries Pvt. Ltd.**

Web: [www.meraki-pvc.com](http://www.meraki-pvc.com) Email: [info@meraki-pvc.com](mailto:info@meraki-pvc.com)

CUSTOMER CARE NUMBER  
**+91 9812 067 883**

follow us on:   

AN ISO 9001:2015 CERTIFIED COMPANY



WhatsApp Virtual Assistant



Scan this QR to start a WhatsApp chat with MERAKI INTERIORS